

SOUND IMAGES



inakustik

KABEL | LAUTSPRECHER | MUSIK




THE KEY TO OUR SUCCESS

Of course, we were not the ones to invent cable. But we are really rather proud of having made the best out of it. Seriously though, it is not easy to find a better cable that transmits sound signals clearer, more precisely and purer than, for instance, our LS-A1.

The passion and love we have invested in developing and producing this cable also extends to all our other products. No wonder, because it is also the basis on which we took

up the fight against the mediocrity of sound and picture transmission when we first started at in-akustik more than 30 years ago now.

Since then we have achieved a lot. Not just for the connoisseurs of sound and pictures but also for all those who are tired of mediocrity. Outstanding quality with excellent value for money is what makes in-akustik attractive for everyone.




IN-AKUSTIK – FOR THE SENSES.

in-akustik has been committed to pure sound and sharp pictures for more than 30 years. With our CD and DVD labels, as well as with our own cables. AmbienTech speaker walls, cable runs and the LED light concept are our latest developments which interpret sound and vision as a living concept. For more information, go to www.in-akustik.de

MADE IN GERMANY

The key to our success? The origin of our cable? That is the production of our speaker cables in our very own cable plant. In Germany. And the assembling most of our Reference and Excellence cables here in our plant: in Ballrechten-Döttingen. Quality – made in Germany.



QUALITY LEVELS

First-rate materials, optimum performance – our products offer all this. And that is also reflected in the quality. There is always a little bit more with each level.

From Star to Premium and Excellence to our ne plus ultra from the Reference class which is a standard for all others, we have finer, more sophisticated and intricate cable technology for every level. What do you get? More sound. More sharpness. Noticeably more passion. And above all, more pleasure.


REFERENCE – THE BENCHMARK FOR PICTURE AND SOUND – SIMPLY CAN'T BEAT IT!
The in-akustik class for perfectionists. The benchmark for an uncompromising sound and picture experience. World-wide leader in price-performance ratio. Goes right under your skin.

EXCELLENCE – FOR THE LOVERS OF PERFECT PICTURE AND SOUND EXPERIENCES.
The in-akustik class for upmarket demands. Selected materials, the best workmanship. With passion, for high-end sound and picture enjoyment.

PREMIUM–PICTURE AND SOUND FOR ADVANCED USERS.
The in-akustik class for finest technology. Extracts the best from the hi-fi system.
For love of sound and picture performance.

STAR – THE BEST GATEWAY TO THE WORLD OF PICTURE AND SOUND.
The in-akustik class for aspiring beginners. Always suitable.
More performance for low prices. A necessity for luxury of sound and picture.






SPEAKER CABLE

• REFERENCE	34
• EXCELLENCE	40
• PREMIUM	42
• STAR	45
• PACK & GO MINI-SPOOLS	46
• ACCESSORIES	48

It is a long way from the amplifier to the speakers. With many obstructions in the speaker cable: capacitance, inductivity, resistance, skin-effect and conductance of the insulation are all just waiting to throw the signals off track. We have something to prevent that: the best insulation from air and polyethylene. The best material from high-purity, oxygen-free copper (OFC), the most sophisticated constructive solutions – for example, the Duo-PE II insulation – or also fine solid conductors for crystal-clear signal transmission. Sounds good? That sounds like in-akustik speaker cables.

We also produce our cables ourselves in Germany. In our very own cable plant. Our own cable production is a prerequisite for our ability to meet any individual requirements with custom-made products.







34
MADE IN GERMANY

ADDITIONAL PRODUCT DATA

- Length: 2 x 3.0 m; special connections on request
- Available as a single wire or single bi-wire
- Includes 230 V or 100 V electronics
- Includes 1.5 m mains cable AC-1502 (p. 71)

CONNECTIONS

- Reference easy plug
- Reference BFA banana
- Reference spade lugs 6/8 mm
- Reference screw type*



■ LS-A1

The Reference LS-A1 is a sound revolution which breaks any listening habits you are used to. The world's first active speaker cable is impressive with the loss of quality significantly less and crystal-clear high frequencies. Once you get to know this standard, you won't want to be without it ever again. Unique.



av-magazine: "The LS-A1 builds a golden bridge between amplifier and speaker."

Once you have listened to the LS-A1, you will never deny a cable-induced sound difference ever again. It also becomes clear that this is a large investment, but at the same time absolutely great value-for-money. In the av-magazine's listening room, the LS-A1, as the new Reference, certainly has many hours of work coming up."



Stereoplay says: "... you get the feeling that a curtain has been raised ... the sound characteristics open up significantly. The detail reproduction increased enormously ... the articulation of the singers became almost frighteningly real."

KEY FEATURES

- ⊕ Plug & Play connection with system cable
- ⊕ Level control for individual adjustment
- ⊕ Soft clipping
- ⊕ LED indicator for overload/temperature control with LED indicator
- ⊕ Cable: LS-1302 (for more details, see page 37)
- ⊕ Symmetrical input level



2006

35

TECHNOLOGY

Even the best passive cable causes losses. But in the active cable LS-A1, a separate electrical unit scans electrical impulses directly at the amplifier output and generates a "duplicate" in a parallel auxiliary circuit. This generates an counter-magnetic field, therefore compensating the inductance. The result: the speaker receives the original signal unchanged.

■ LS-1602

No other speaker cable has ever been made quite so intricately as the Reference LS-1602: 48 conductors made from selected MGC copper (medical grade copper) showed an extremely high level of purity in special tests and ensure a phenomenal sound experience. The conductivity amounts to a mathematical paradox of 102%*.

AUDIO TESTRATING outstanding
AUDIO: "... the LS-1602 was even able to distinguish itself slightly from the outstanding Kimber (around 17,000 euros for the same configuration). In view of the price, this really does signify a sensation. And in-akustik has also achieved something technically remarkable ... unlike most loop providers, this Southern German company has independent production facilities and, of course, an in-house development department. Largely due to this, the in-akustik team has absolutely no fear of revealing their cable. These people have no time at all for voodoo ... the LS-1602 is the hit among all the high-end cables ..."



KEY FEATURES

- ❖ 48 solid conductors for identical transit times
- ❖ Multi-layer (2 layers of 24 conductors) -> neutralisation of magnetic fields
- ❖ MGC copper (medical grade copper) – 102% conductivity*
- ❖ Polyethylene waveguide and DUO-PE II insulation around each conductor
- ❖ PE network jacket reduces micro-vibrations and capacitance
- ❖ Additional silica sand-filling against micro-vibrations for assembled cables

* referring to the specific conductance




ADDITIONAL PRODUCT DATA

- Length: 2 x 3.0 m; special connections on request
- Available as single wire or single bi-wire

CONNECTIONS

- Easy plug (end sleeves) and banana multi contact
- Reference KS-60 spade lugs



SOLID CONDUCTORS



UNDEFINED CONTACTS BETWEEN THE WIRES

On standard cables the many fine wires are bundled, meaning the electrons can "jump" from one wire to another. Different signals travel for different lengths of time, fast impulses are "braked". However, the conductors in the LS-1602 each consists of one solid wire only. Consequently: they have the same transit times with clear and strong contours.

■ LS-1302

The follow-up to the legendary LS-1202 was awarded a "highlight" in a test carried out by the magazine "stereoplay" (10/2007). The PE network jacket reduces micro-vibration, the large cable cross-section delivers outstanding and controlled low frequency reproduction. The 24 solid conductors surround a polyethylene carrier, which largely consists of the best insulation material of all – air. The LS-1302 is suitable for single wire and single bi-wire applications.

KEY FEATURES

- ❖ 24 solid conductors for identical transit times
- ❖ Alternate arrangement of the conductors neutralises magnetic fields
- ❖ Oxygen-free OF copper
- ❖ The best "insulation material", air, in the core – for low capacitance
- ❖ DUO-PE II insulation around each conductor
- ❖ PE network jacket reduces micro-vibrations and capacitance



ADDITIONAL PRODUCT DATA

- Length: 2 x 3.0 m; special connections on request
- Available as single wire or single bi-wire

CONNECTIONS

- Easy plug (end sleeves)
- Reference BFA banana
- Reference KS-60 spade lugs
- Reference screw type adapter



10/2007

■ LS-1108

The Reference LS-1108 has extremely low inductance with a very high and linear damping with its four-fold symmetrical design from CC-100 conductors. Each of the eight conductors is fitted with a DUO-PE II and consists of 37 wires which are concentrically arranged. The cable is suitable for single wire and single bi-wire applications.

STEREO (LS-1108): "The latest generation of the superior-class bestseller from South Baden is a sensation. A fantastic all-round cable in the ambitious professional class at a very reasonable price."

KEY FEATURES

- ❖ Okta CC-100 design; 8 x 0.94 mm²
- ❖ 4-fold symmetrical design for extremely low inductance
- ❖ 37 wires concentrically stranded per conductor
- ❖ DUO-PE II insulation around each conductor
- ❖ PE network jacket reduces micro-vibrations and capacitance
- ❖ Low induction for homogeneous reproduction



Super AV-Award Hongkong 2009

ADDITIONAL PRODUCT DATA

- Length: 2 x 3.0 m; special connections on request
- Available as single wire or single bi-wire

CONNECTIONS

- Easy plug (end sleeves)
- Reference BFA banana
- Reference KS-60 spade lugs
- Reference screw type adapter



Super AV-Award Hongkong 2009

■ LS-1102

The Reference LS-1102 has six conductors each with 37 concentrically stranded wires. The strands are in triple symmetry and specifically arranged in the CC-187 design to keep the inductance low and the resistance linear. The total cable cross-section delivers outstanding and controlled low frequency reproduction with high effectivity.

AUDIO (LS-1102): "... in terms of sound, it easily lives up to the biggest challenge. Price/performance: very good"

KEY FEATURES

- ❖ Hexa CC-187 design; 6 x 1.87 mm²
- ❖ 3-fold symmetrical design
- ❖ 37 wires concentrically stranded per conductor
- ❖ DUO-PE II insulation around each conductor
- ❖ PE network jacket reduces micro-vibrations and capacitance
- ❖ Low induction for homogeneous reproduction

■ LS-1002

The Reference LS-1002 consists of four wires in the CC-297 design. The conductors are arranged in double symmetry each with 37 concentrically stranded wires. The large cross-section ensures a wider base and depth.

KEY FEATURES

- ❖ Quattro CC-297 design; 4 x 2.97 mm²
- ❖ Double-symmetrical design
- ❖ 37 wires concentrically stranded per conductor
- ❖ DUO-PE II insulation around each conductor
- ❖ PE network jacket reduces micro-vibrations and capacitance
- ❖ Low induction for homogeneous reproduction

■ LS-602

The Reference LS-602 is a double-symmetrical cable design. The high density reduces the inductance factor to the benefit of the medium and high-frequency ranges.

KEY FEATURES

- ❖ Quattro CC-187 design; 4 x 1.87 mm²
- ❖ Double-symmetrical design
- ❖ 37 wires concentrically stranded per conductor
- ❖ DUO-PE II insulation around each conductor
- ❖ PE network jacket reduces micro-vibrations and capacitance
- ❖ Low induction for homogeneous reproduction

■ LS-502

The LS-502 has two symmetrically arranged strands, each containing 37 concentrically stranded wires. The thick wires demonstrate its class even when used with high-performance systems.

AUDIO (LS-502): "... the sound is so warm, just as you would expect from in-akustik Reference – direct, honest, straightforward."

KEY FEATURES

- ❖ Duo CC-297 design; 2 x 2.97 mm²
- ❖ Symmetrical design
- ❖ 37 wires concentrically stranded per conductor
- ❖ DUO-PE II insulation around each conductor
- ❖ PE network jacket reduces micro-vibrations and capacitance
- ❖ Low induction for homogeneous reproduction



ADDITIONAL PRODUCT DATA

- Length: 2 x 3.0 m; special connections on request

CONNECTIONS

- Easy plug (end sleeves)
- Reference BFA banana
- Reference KS-60 spade lugs
- Reference screw type adapter



03/2004



ADDITIONAL PRODUCT DATA


- Length: 2 x 3.0 m; special connections on request

CONNECTIONS

- Easy plug (end sleeves)
- Reference BFA banana
- Reference KS-60 spade lugs
- Reference screw type adapter



03/2004



ADDITIONAL PRODUCT DATA

- Length: 2 x 3.0 m; special connections on request

CONNECTIONS

- Easy plug (end sleeves)
- Reference BFA banana
- Reference KS-60 spade lugs



03/2010

ADDITIONAL PRODUCT DATA

- Length: 2 x 3.0 m; special connections on request

CONNECTIONS

- Easy plug (end sleeves)
- Reference BFA banana
- Reference KS-60 spade lugs



11/2004



03/2004




ATMOS AIR SILVER

The Excellence Atmos Air Silver has additional pure silver plating and transmits even faster, delivering excellent resolution in the critical medium and high-frequency ranges. Impressive.

KEY FEATURES

- ❖ High frequency range optimised, silver-plated concentric copper conductor (20 g/kg)
- ❖ Loss-free air insulation
- ❖ Precise, concentric copper
- ❖ Additional air dielectric
- ❖ Plus/minus recognition

**ADDITIONAL PRODUCT DATA**

- Colour: transparent
- Cross-section: $2 \times 2.97 \text{ mm}^2$; $2 \times 1.87 \text{ mm}^2$

RECOMMENDED PLUGS


- Excellence BFA banana (p. 48)
- Excellence spade lug (p. 50)

CONNECTIONS**ATMOS AIR**

The Excellence Atmos Air relieves the burden on the amplifier with its loss-free air insulation and ensures significantly more dynamics, clarity and enjoyment.

KEY FEATURES

- ❖ Rich in sound concentric copper conductor
- ❖ Loss-free air insulation
- ❖ Precise, concentric copper
- ❖ Additional air dielectric
- ❖ Plus/minus recognition

**DELTA PROFILE**

The Delta profile stabilises the two wires along their axes. This means the magnetic force generated by the current cannot move the conductors. In this way, micro-vibrations are reduced to a minimum, the sound pattern is tighter and more stable, even at high volume.

LS-CABLE SILVER

On the whole, highly-flexible wires have a larger conductor surface compared to solid designs. This benefits the transmission of high frequency ranges. As well as the fine wire design (0.07 mm), the silver-plating of the Excellence Silver also supports the transmission of high frequencies. The low-loss PE wire insulation and the additional PE dielectric also relieve the burden on the amplifier. For more dynamics and pleasure.

KEY FEATURES

- ❖ High frequency range optimised, silver-plated concentric copper conductor (15 g/kg)
- ❖ Low-loss PE insulation
- ❖ Additional PE dielectric
- ❖ Finest 0.07 mm wire design
- ❖ Opposing S/Z stranding (easy to install)

**ADDITIONAL PRODUCT DATA**

- Colour: transparent
- Cross-section: $2 \times 6.0 \text{ mm}^2$; $2 \times 4.0 \text{ mm}^2$; $2 \times 2.5 \text{ mm}^2$

RECOMMENDED PLUGS


- Excellence BFA banana (p. 48)
- Excellence spade lug (p. 50)

CONNECTIONS**LS-CABLE**

The Excellence speaker cable also uses the features of the highly sophisticated wire design. Like the Excellence Silver, this cable also has low-loss PE wire insulation, as well as the additional PE dielectric. The large cross-sections ensure the required base.

KEY FEATURES

- ❖ High-purity OFC copper
- ❖ Low-loss PE insulation
- ❖ Additional PE dielectric
- ❖ Finest 0.07 mm wire design
- ❖ Opposing S/Z stranding (easy to install)




SUPER FLAT

The super flat speaker cable with ten separate insulated solid conductors made from OFC copper ensures tight and precise sound transmission. Easy to lay in tubes under the carpet or behind the skirting boards. On the wall with the white side, on the parquet floor with the brown side. Practical with a great sound.

KEY FEATURES

- ⊕ Solid conductor (2 x 5 x 0.5 mm²) for more dynamics
- ⊕ Two colour insulation, "hidden" cabling
- ⊕ Super flat
- ⊕ Plus/minus recognition




FLAT

The flat speaker cable with its very fine, braided (not stranded) wires is extremely compact and flexible. It can be perfectly laid under carpets or behind skirting boards. Ideally suited for Surround systems.

KEY FEATURES

- ⊕ Finely-stranded: 0.10 mm (1.5 mm²) / 0.07 mm (2.5 mm²)
- ⊕ "Invisible" to lay under carpets or behind skirting boards
- ⊕ Flat, compact design
- ⊕ Plus/minus recognition




SPEAKER CABLE SILVER

The Premium speaker cable Silver has a silver-plated conductor for optimised high frequency reproduction.

KEY FEATURES

- ⊕ High frequency range optimised, silver-plated concentric copper conductor (5 g/kg)
- ⊕ Opposing S/Z stranding (easy to install)
- ⊕ Resistant insulation
- ⊕ Plus/minus recognition




SPEAKER CABLE

The Premium speaker cable brings delight to sophisticated music connoisseurs as well as professional users with its outstanding features. This robust cable ensures rich performances.

KEY FEATURES

- ⊕ Finely-stranded: 0.15 mm wire design
- ⊕ Opposing S/Z stranding (easy to install)
- ⊕ Resistant insulation
- ⊕ Plus/minus recognition



03/2004

stereoplay
HIGHLIGHT

03/2004

ADDITIONAL PRODUCT DATA

- Colour: white/brown
- Cross-section: 2 x 2.5 mm² (2 x 5 x 0.5 mm²)

CONNECTIONS



RECOMMENDED PLUGS

- Premium banana multi tip (p. 49)
- Premium banana TS (p. 49)
- Premium banana multi contact (p. 49)
- Premium flexible pin (p. 49)

ADDITIONAL PRODUCT DATA

- Colour: white
- Cross-section: 2 x 2.5 mm²; 2 x 1.5 mm²

CONNECTIONS



RECOMMENDED PLUGS

- Premium banana multi tip (p. 49)
- Premium banana TS (p. 49)
- Premium banana multi contact (p. 49)
- Premium flexible pin (p. 49)
- Premium spade lug (p. 50)

ADDITIONAL PRODUCT DATA

- Colour: transparent, white, anthracite
- Cross-section: 2 x 4.0 mm²; 2 x 2.5 mm²; 2 x 1.5 mm²

CONNECTIONS



RECOMMENDED PLUGS

- Premium banana multi tip (p. 49)
- Premium banana TS (p. 49)
- Premium banana multi contact (p. 49)
- Premium flexible pin (p. 49)

APPLICATION

stereoplay
Premium 2x2.5mm²
Price/performance: very good

12/2008

stereoplay
Premium 2x1.5mm²
Price/performance: very good


43

■ HALOGEN-FREE | FLAME-RETARDANT


Special halogen-free and flame-retardant speaker cable for the installation sector. Laying this durable cable is very userfriendly thanks to its rounded design. The strands, made of 0.25 mm thick wires, are easy to wire up and deliver highpower audio performance.

KEY FEATURES

- ❖ Plus/minus recognition
- ❖ Strand design 2 x 50 x 0.25 mm
- ❖ Rounded design makes it easy to lay
- ❖ Flame-retardant and halogen-free

FLAMMWIDRIG
flame-retardantHALOGENFREI
halogen-free

44



ADDITIONAL PRODUCT DATA

- Colour: anthracite
- Premium flexible pin (p. 49)
- Cross-section: 2 x 2.5 mm²; 2 x 1.5 mm²

ADDITIONAL PRODUCT DATA

- Colour: anthracite
- Premium flexible pin (p. 49)
- Cross-section: 2 x 2.5 mm²; 2 x 1.5 mm²

RECOMMENDED PLUGS

- Premium flexible pin (p. 49)

CONNECTIONS



APPLICATION



CONNECTIONS



APPLICATION



■ IN-COGNITO

The special speaker cable for small to medium satellite and shelf speakers. The thin round cable of 5 mm can be discreetly installed in corners or around doors and windows and can also be easily covered with an acrylic joint.

KEY FEATURES


- ❖ High-purity OFC copper
- ❖ "Invisible" for laying in corners
- ❖ Round, compact design (diameter: 5 mm)
- ❖ Plus/minus recognition

■ SPEAKER CABLE

The classic speaker cable for all applications with remarkable electrical properties.

KEY FEATURES

- ❖ Universal speaker cable for any application
- ❖ Flexible and easy to install with opposing S/Z stranding
- ❖ Plus/minus recognition




ADDITIONAL PRODUCT DATA

- Colour: transparent, white, anthracite
- Cross-section: 2 x 2.5 mm²; 2 x 1.5 mm²; 2 x 0.75 mm²

RECOMMENDED PLUGS

- Premium flexible pin (p. 49)

CONNECTIONS



APPLICATION



45

■ SLIM LINE MINI SPOOLS

The flat speaker cable with its very fine, braided (not stranded) wires is extremely compact and flexible. It can be perfectly laid under carpets or behind skirting boards. Ideally suited for Surround systems.

KEY FEATURES

- ❖ Finely-stranded: 0.10 mm (1.5 mm²)/0.07 mm (2.5 mm²)
- ❖ Invisible to lay under carpets or behind skirting boards
- ❖ Flat, compact design
- ❖ Plus/minus recognition



■ SPECIAL EDITION MINI SPOOLS

Standard speaker cable for universal application at home or in the car.

KEY FEATURES

- ❖ Flexible, easy to install
- ❖ Universal speaker cable for any application
- ❖ Plus/minus recognition



■ MIKADO MINI SPOOLS

The universal speaker cable for all applications has square/round coding for correct connections and correct phasing to the amplifier and speaker.

KEY FEATURES

- ❖ Flexible, easy to install
- ❖ Universal speaker cable for any application
- ❖ Plus/minus recognition



■ SPEAKER CABLE REELS

The classic speaker cable for all applications is good value for money and has remarkable electrical properties.

KEY FEATURES

- ❖ Universal speaker cable for any application
- ❖ Flexible and easy to install with opposing S/Z stranding
- ❖ Plus/minus recognition



- ADDITIONAL PRODUCT DATA**
- Colour: white
 - Cross-section: 2 x 2.5 mm², 1.5 mm²
 - Unit: 10 m; 15 m
 - Optional Euro spool for easy winding

- RECOMMENDED PLUGS**
- Premium flexible pin (p. 49)
 - Premium banana TS (p. 49)

- ADDITIONAL PRODUCT DATA**
- Colour: transparent, white
 - Cross-section: 2 x 2.5 mm², 2 x 1.5 mm²
 - Unit: 25 m; 30 m
 - Optional Euro spool for easy winding

- RECOMMENDED PLUGS**
- Premium flexible pin (p. 49)

- ADDITIONAL PRODUCT DATA**
- Colour: transparent, black
 - Cross-section: 2 x 0.75 mm²
 - Unit: 40 m
 - Optional Euro spool for easy winding

- RECOMMENDED PLUGS**
- Premium flexible pin (p. 49)

- ADDITIONAL PRODUCT DATA**
- Colour: transparent
 - Cross-section: 2 x 0.75 mm²; 2 x 1.5 mm²; 2 x 2.5 mm²
 - Unit: 6 m; 10 m; 20 m

- RECOMMENDED PLUGS**
- Premium flexible pin (p. 49)



■ SCREW TYPE ADAPTER

The BFA, flexible pin and spade lug adapter all provide several connection options, for instance, if the amplifier or speaker is replaced and different connections are required.



■ BFA BANANA

in-akustik has designed a connection for speaker cables using BFA bananas, which meets the strict requirements of the BFA standard (British Federation of Audio). Suitable for cable cross-sections of up to 6.0 mm². Red/black or white/black coding. With screw connections.



■ BANANA MULTI CONTACT

Suitable for cable cross-sections of up to 16.0 mm². With screw connections and high-quality 24c gold-plated contacts. Red/black coding.



■ BANANA MULTI TIP

Suitable for cable cross-sections of up to 16.0 mm². With soldered connections and high-quality 24c gold-plated contacts. Red/black coding.



■ BANANA TS

Suitable for cable cross-sections of up to 16.0 mm². With screw connections and 24c gold-plated contacts. Red/black coding.



■ BFA BANANA

Suitable for cable cross-sections of up to 6.0 mm². Meets the strict requirements of the BFA standard. Red/black coding. With screw connections.

■ SAFETY BANANA

With a protective cover which goes back into the plug housing automatically when plugged into the socket. Suitable for cable cross-sections of up to 10.0 mm². Purple/black coding. With screw connections.



■ FLEXIBLE PIN

For safe and easy connections on clip terminals. Suitable for cable cross-sections of up to 6.0 mm². For crimping or soldering. With 24c gold-plated contacts. Red/black coding.



■ HOLLOW TIP

The hollow tips are perfectly suited to the socket and ensure the largest possible contact surface. Suitable for cable cross-sections of up to 6.0 mm². For crimping or soldering. With silver-plated or 24c gold-plated contacts.



■ KS-30 / KS-60

Spade lug for cross-section of up to 6.0 mm² made of 24c gold-plated OFC-copper for crimping or soldering. With 6/8 mm graded fork. Black/white coding.



■ SPADE LUG

Spade lug for cross-section of up to 6.0 mm² made from 24c gold-plated OFC-copper with screw connection. With 6/8 mm graded fork. Black/red coding.



■ SHRINK SLEEVE

Reference shrink sleeve for custom-fitting of the LS-502 to LS-1302 Reference speaker cables.



CABLE SHEARS

For flexible cable up to 35 mm².



■ SPADE LUG

Spade lug for cross-section of up to 4.0 mm² made from 24c gold-plated OFC-copper for crimping or soldering. With 6/8 mm graded fork. Black/red coding.




■ BI-WIRE BRIDGE

High-end bi-wire bridge based on the LS-1002. Fitted with the KS-60 Reference spade lug (6/8 mm graded fork).



■ BI-WIRE BRIDGE

Bi-wire bridge for low-loss bridging of bi-wire terminals on speakers. 6 mm fork.



TV CABLE CHANNEL & LED LIGHT KIT

Flat screens are captivating with their simple designs and clear lines. They fit perfectly into a living room ambience. If it weren't for the cables hanging on the wall. An inconspicuous and visually pleasing solution to this problem is the AmbienTrack TV cable channel from in-akustik.




**MADE IN
GERMANY**

96

ADDITIONAL COLOUR VARIATIONS



PLUG & PLAY INSTALLATION




AMBIENTECH TV WALL BRACKET NO. 1



- Universal plasma/LCD wall bracket
- Fulfils the VESA standard
- TV size: 37 – 60" / 95 – 153 cm
- TV weight: 75 kg / 165 lbs
- With spirit level
- Lockable
- Super flat design
- Incl. installation instructions
- Incl. installation kit
- Plug & Play installation



AMBIENTECH TV WALL BRACKET NO. 2



- Universal plasma/LCD wall bracket
- Fulfils the VESA standard
- TV size: 23 – 37" / 59 – 95 cm
- TV weight: 50 kg / 110 lbs
- Lockable
- Super flat design
- Incl. installation instructions
- Incl. installation kit
- Plug & Play installation



YOU CAN FIND THESE AND MORE THAN 4000 OTHER TRACKS IN OUR RANGE:



MUSIC AND MEDIA

Whether it is jazz, blues, singer/songwriter, rock, pop or classical – we have it all. Everything? Well, not quite everything. But a bit of everything: an exquisite selection of outstanding composers, singers and bands. Studio and live recordings that make your ear drums tremor and your emotions run wild or a popular cult series from the television. To watch and listen to on CD, DVD, Blu-ray, LP or SACD.

Visit our website at www.in-akustik.de

97

ITEM NO.	DESCRIPTION	CONNECTIONS / FEATURE	COLOUR / CODING	LENGTH / UNIT	PAGE
High speed HDMI™ Cable with Ethernet					
00724401	Reference series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	PE network jacket	1.0 m	11
00724402	Reference series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	PE network jacket	2.0 m	11
00724403	Reference series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	PE network jacket	3.0 m	11
00724405	Reference series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	PE network jacket	5.0 m	11
007244075	Reference series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	PE network jacket	7.5 m	11
00724410	Reference series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	PE network jacket	10.0 m	11
00724411	Reference series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	PE network jacket	12.0 m	11
00724415	Reference series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	PE network jacket	15.0 m	11
00724417	Reference series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	PE network jacket	17.5 m	11
00724420	Reference series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	PE network jacket	20.0 m	11
006244007	Excellence series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	anthracite	0.75 m	12
006244015	Excellence series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	anthracite	1.5 m	12
00624403	Excellence series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	anthracite	3.0 m	12
006244075	Excellence series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	anthracite	7.5 m	12
00624410	Excellence series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	anthracite	10.0 m	12
00624412	Excellence series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	anthracite	12.0 m	12
00624415	Excellence series Ethernet	HDMI™ Ethernet <-> HDMI™ Ethernet	anthracite	15.0 m	12
High speed HDMI™ Cable					
0072401	Reference series	HDMI™ <-> HDMI™	PE network jacket	1.0 m	13
0072402	Reference series	HDMI™ <-> HDMI™	PE network jacket	2.0 m	13
0072403	Reference series	HDMI™ <-> HDMI™	PE network jacket	3.0 m	13
0072405	Reference series	HDMI™ <-> HDMI™	PE network jacket	5.0 m	13
00724075	Reference series	HDMI™ <-> HDMI™	PE network jacket	7.5 m	13
0072410	Reference series	HDMI™ <-> HDMI™	PE network jacket	10.0 m	13
0072412	Reference series	HDMI™ <-> HDMI™	PE network jacket	12.0 m	13
0072415	Reference series	HDMI™ <-> HDMI™	PE network jacket	15.0 m	13
0072417	Reference series	HDMI™ <-> HDMI™	PE network jacket	17.5 m	13
0072420	Reference series	HDMI™ <-> HDMI™	PE network jacket	20.0 m	13
00624007	Excellence series	HDMI™ <-> HDMI™	anthracite	0.75 m	14
00624015	Excellence series	HDMI™ <-> HDMI™	anthracite	1.5 m	14
0062403	Excellence series	HDMI™ <-> HDMI™	anthracite	3.0 m	14
0062405	Excellence series	HDMI™ <-> HDMI™	anthracite	5.0 m	14
00624075	Excellence series	HDMI™ <-> HDMI™	anthracite	7.5 m	14
0062410	Excellence series	HDMI™ <-> HDMI™	anthracite	10.0 m	14
0062412	Excellence series	HDMI™ <-> HDMI™	anthracite	12.0 m	14
0062415	Excellence series	HDMI™ <-> HDMI™	anthracite	15.0 m	14
006242015	Excellence series	HDMI™ <-> HDMI™ 90°	anthracite	1.5 m	14
00624203	Excellence series	HDMI™ <-> HDMI™ 90°	anthracite	3.0 m	14
00624205	Excellence series	HDMI™ <-> HDMI™ 90°	anthracite	5.0 m	14
00424007	Premium series	HDMI™ <-> HDMI™	blue	0.75 m	15
0042401	Premium series	HDMI™ <-> HDMI™	blue	1.0 m	15
00424015	Premium series	HDMI™ <-> HDMI™	blue	1.5 m	15
0042402	Premium series	HDMI™ <-> HDMI™	blue	2.0 m	15
0042403	Premium series	HDMI™ <-> HDMI™	blue	3.0 m	15
0042405	Premium series	HDMI™ <-> HDMI™	blue	5.0 m	15
00424075	Premium series	HDMI™ <-> HDMI™	blue	7.5 m	15
0042410	Premium series	HDMI™ <-> HDMI™	blue	10.0 m	15
00424201	Premium series 180°	HDMI™ 180° <-> HDMI™ 180°	blue	1.0 m	15
004242015	Premium series 180°	HDMI™ 180° <-> HDMI™ 180°	blue	1.5 m	15
00424202	Premium series 180°	HDMI™ 180° <-> HDMI™ 180°	blue	2.0 m	15
00424203	Premium series 180°	HDMI™ 180° <-> HDMI™ 180°	blue	3.0 m	15
00424205	Premium series 180°	HDMI™ 180° <-> HDMI™ 180°	blue	5.0 m	15
004242075	Premium series 180°	HDMI™ 180° <-> HDMI™ 180°	blue	7.5 m	15
00424210	Premium series 180°	HDMI™ 180° <-> HDMI™ 180°	blue	10.0 m	15
0042430076	Premium series flat	HDMI™ <-> HDMI™	white	0.75 m	16
0042430156	Premium series flat	HDMI™ <-> HDMI™	white	1.5 m	16
004243036	Premium series flat	HDMI™ <-> HDMI™	white	3.0 m	16
004243056	Premium series flat	HDMI™ <-> HDMI™	white	5.0 m	16
0042430756	Premium series flat	HDMI™ <-> HDMI™	white	7.5 m	16
0042450076	Premium series mini	Mini HDMI™ <-> Mini HDMI™	white	0.75 m	17
0042450156	Premium series mini	Mini HDMI™ <-> Mini HDMI™	white	1.5 m	17
004245036	Premium series mini	Mini HDMI™ <-> Mini HDMI™	white	3.0 m	17
0042470076	Premium series mini	Mini HDMI™ <-> Mini HDMI™	white	0.75 m	17
0042470156	Premium series mini	Mini HDMI™ <-> Mini HDMI™	white	1.5 m	17
004247036	Premium series mini	Mini HDMI™ <-> Mini HDMI™	white	3.0 m	17
00324007	Star series	HDMI™ <-> HDMI™	black	0.75 m	18
00324015	Star series	HDMI™ <-> HDMI™	black	1.5 m	18
00324030	Star series	HDMI™ <-> HDMI™	black	3.0 m	18
00324050	Star series	HDMI™ <-> HDMI™	black	5.0 m	18
HDMI™/DisplayPort accessories					
0062450422	Excellence HDMI™ switch	4 x HDMI™ <-> 2 x HDMI™, cross	black	set of 1	20
	high speed				
006245042	Excellence HDMI™ switch	4 x HDMI™ <-> 2 x HDMI™	black	set of 1	21
0062450421	Excellence HDMI™ switch	4 x HDMI™ <-> 1 x HDMI™	black	set of 1	20
	high speed				
0042450312	Premium HDMI™ switch high speed	3 x HDMI™ <-> 1 x HDMI™	white	set of 1	21
003245031	Star HDMI™ switch high speed	3 x HDMI™ <-> 1 x HDMI™	black	set of 1	22
006245002	Excellence HDMI™ repeater V2	up to 60 m	black	set of 1	22
0083240	Excellence HDMI™ > DVI adapter	HDMI™ (f) > DVI-D (m)	set of 1	23	




ITEM NO.	DESCRIPTION	CONNECTIONS / FEATURE	COLOUR / CODING	LENGTH / UNIT	PAGE
0083241	Excellence HDMI™ <-> DVI adapter	HDMI™ (m) > DVI-D (f)		set of 1	23
006540031	Excellence HDMI™ safety clip	HDMI™ retaining clip		set of 1	23
00654003	Excellence HDMI™ safety clip	HDMI™ retaining clip	bulk		23
006285001	Excellence DisplayPort adapter	DisplayPort <-> HDMI™	black	0.15 m	23
006285002	Excellence DisplayPort adapter	mini DisplayPort <-> HDMI™	white	0.15 m	23
006285003	Excellence DisplayPort adapter	mini DisplayPort <-> DVI	white	0.15 m	23
004521421	Premium HDMI™ angle adapter	m > w; (+/-90°)		set of 1	23
004521621	Premium HDMI™ angle adapter	w > w; (+/-90°)		set of 1	23
00628015	Excellence DisplayPort	DP <-> DP	anthracite	1.5 m	19
0062803	Excellence DisplayPort	DP <-> DP	anthracite	3.0 m	19
0062805	Excellence DisplayPort	DP <-> DP	anthracite	5.0 m	19
00628075	Excellence DisplayPort	DP <-> DP	anthracite	7.5 m	19
0062810	Excellence DisplayPort	DP <-> DP	anthracite	10.0 m	19
0062812	Excellence DisplayPort	DP <-> DP	anthracite	12.0 m	19
0062801	RGB/YUV cable				
006202	Excellence YUV mini	by the metre	anthracite	50 m	24
006200207	Excellence YUV mini	3 RCA <-> 3 RCA	anthracite	0.75 m	24
006202015	Excellence YUV mini	3 RCA <-> 3 RCA	anthracite	1.5 m	24
00620203	Excellence YUV mini	3 RCA <-> 3 RCA	anthracite	3.0 m	24
00620205	Excellence YUV mini	3 RCA <-> 3 RCA	anthracite	5.0 m	24
006202075	Excellence YUV mini	3 RCA <-> 3 RCA	anthracite	7.5 m	24
00620210	Excellence YUV mini	3 RCA <-> 3 RCA	anthracite	10.0 m	24
00620212	Excellence YUV mini	3 RCA <-> 3 RCA	anthracite	12.0 m	24
00620215	Excellence YUV mini	3 RCA <-> 3 RCA	anthracite	15.0 m	24
00320007	Star YUV				
00320015	Star YUV	3 RCA <-> 3 RCA	black	0.75 m	24
0032003	Star YUV	3 RCA <-> 3 RCA	black	1.5 m	24
0032003	Star YUV	3 RCA <-> 3 RCA	black	3.0 m	24
0032004	Antenna cable				
00626000	Excellence HDTV antenna cable	120 dB	anthracite	100 m	24
0062600098	Excellence HDTV antenna cable	120 dB	anthracite	500 m	24
006260006	Excellence HDTV				

ITEM NO.	DESCRIPTION	CONNECTIONS / FEATURE	COLOUR / CODING	LENGTH / UNIT	PAGE
003022	Star LS	2 x 2.5 mm ²	transparent	150 m	45
00302298	Star LS	2 x 2.5 mm ²	transparent	500 m	45
0030226	Star LS	2 x 2.5 mm ²	white	150 m	45
003022698	Star LS	2 x 2.5 mm ²	white	500 m	45
003021	Star LS	2 x 1.5 mm ²	transparent	200 m	45
00302198	Star LS	2 x 1.5 mm ²	transparent	1000 m	45
0030216	Star LS	2 x 1.5 mm ²	white	200 m	45
003021698	Star LS	2 x 1.5 mm ²	white	1000 m	45
0030218	Star LS	2 x 1.5 mm ²	anthracite	200 m	45
003020	Star LS	2 x 0.75 mm ²	transparent	400 m	45
0030206	Star LS	2 x 0.75 mm ²	white	400 m	45
0030208	Star LS	2 x 0.75 mm ²	anthracite	400 m	45
Pack&Go mini spools					
010000615	Premium LS Slim Line	2 x 1.5 mm ² ; mini spool	white	15 m	46
010001610	Premium LS Slim Line	2 x 2.5 mm ² ; mini spool	white	10 m	46
01001740	Star LS Mikado	2 x 0.75 mm ² ; mini spool	transparent	40 m	47
01001840	Star LS Mikado	2 x 0.75 mm ² ; mini spool	black	40 m	47
01002430	Star LS Special Edition	2 x 1.5 mm ² ; mini spool	transparent	30 m	46
01002436	Star LS Special Edition	2 x 1.5 mm ² ; mini spool	white	30 m	46
01004425	Star LS Special Edition	2 x 2.5 mm ² ; mini spool	transparent	25 m	46
0100006159	Premium LS Slim Line	2 x 1.5 mm ² ; Euro spool	white	15 m	46
0100016109	Premium LS Slim Line	2 x 2.5 mm ² ; Euro spool	white	10 m	46
010017409	Star LS Mikado	2 x 0.75 mm ² ; Euro spool	transparent	40 m	47
010018409	Star LS Mikado	2 x 0.75 mm ² ; Euro spool	black	40 m	47
010024309	Star LS Special Edition	2 x 1.5 mm ² ; Euro spool	transparent	30 m	46
010024369	Star LS Special Edition	2 x 1.5 mm ² ; Euro spool	white	30 m	46
010044259	Star LS Special Edition	2 x 2.5 mm ² ; Euro spool	transparent	25 m	46
003020006	Star LS rings	2 x 0.75 mm ² ; cable reel	transparent	6 m	47
003020010	Star LS rings	2 x 0.75 mm ² ; cable reel	transparent	10 m	47
003021010	Star LS rings	2 x 1.5 mm ² ; cable reel	transparent	10 m	47
003021020	Star LS rings	2 x 1.5 mm ² ; cable reel	transparent	20 m	47
003022010	Star LS rings	2 x 2.5 mm ² ; cable reel	transparent	10 m	47
Accessories					
00971100	Reference screw type	basic adapter	bulk	48	
00789168bw	Reference screw type	BFA banana adapter	black / white	bulk	48
009711018	Reference screw type	spade lug adapter	bulk	48	
009711048	Reference screw type	flexible Pin adapter	red / black	bulk	48
00789169bw	Reference BFA banana	4 mm banana	black / white	bulk	48
008169	Reference BFA banana	4 mm banana	black / red	bulk	48
0081691	Reference BFA banana	4 mm banana	black / red	set of 4	48
0081692	Reference BFA banana	4 mm banana; silver-plated	black / red	bulk	48
00816921	Reference BFA banana	4 mm banana; silver-plated	black / red	set of 4	48
00650002	Excellence BFA banana	4 mm banana	red	bulk	48
00650007	Excellence BFA banana	4 mm banana	black	bulk	48
006500021	Excellence BFA banana	4 mm banana	red / black	set of 4	48
0081421	Excellence Safety banana	4 mm banana	red / blue	set of 2	48
008146	Premium banana TS	4 mm banana	red / black	bulk	49
0081461	Premium banana TS	4 mm banana	red / black	set of 4	49
008147	Premium banana multicontact	4 mm banana	red / black	bulk	49
0081471	Premium banana multicontact	4 mm banana	red / black	set of 4	49
0081483	Premium banana multi tip	4 mm banana; up to 3.0 mm ²	red / black	bulk	49
00814831	Premium banana multi tip	4 mm banana; up to 3.0 mm ²	red / black	set of 4	49
0081484	Premium banana multi tip	4 mm banana; up to 4 mm ²	red / black	bulk	49
00814841	Premium banana multi tip	4 mm banana; up to 4.0 mm ²	red / black	set of 4	49
0081485	Premium banana multi tip	4 mm banana; up to 5.0 mm ²	red / black	bulk	49
00814851	Premium banana multi tip	4 mm banana; up to 5.0 mm ²	red / black	set of 4	49
008149	Premium banana hollow tip	4 mm banana		100 bulk	49
0081492	Premium banana hollow tip	4 mm banana; silver-plated		100 bulk	49
008155	Premium flexible pin	1.5 mm ² -4.0 mm ²	red / black	bulk	49
0081551	Premium flexible pin	1.5 mm ² -4.0 mm ²	red / black	set of 4	49
008156	Premium flexible pin	2.5 mm ² -6.0 mm ²	red / black	bulk	49
0081561	Premium flexible pin	2.5 mm ² -6.0 mm ²	red / black	set of 4	49
MP3 audio cable (3.5 mm phone plug)					
01053301	Premium MP3 audio cable	3.5 phone plug --> 2 x RCA	blue	1.0 m	60
01053302	Premium MP3 audio cable	3.5 phone plug --> 2 x RCA	blue	2.0 m	60
01053305	Premium MP3 audio cable	3.5 phone plug --> 2 x RCA	blue	5.0 m	60
01053310	Premium MP3 audio cable	3.5 phone plug --> 2 x RCA	blue	10 m	60
010533915	Premium MP3 audio cable	3.5 phone plug --> 2 x RCA	white	1.5 m	60
010533930	Premium MP3 audio cable	3.5 phone plug --> 2 x RCA	white	3.0 m	60
0105339315	Premium MP3 audio cable	3.5 phone plug --> 3.5 phone plug	white	1.5 m	60
0105339301	Premium MP3 audio cable	3.5 phone plug --> 3.5 phone plug	white	3.0 m	60
007893	Reference K5-30; spade lug	6/8 mm fork; up to 3.0 mm ²	black / white	bulk	50
0078930	Reference K5-30; spade lug	6/8 mm fork; up to 3.0 mm ²	black / white	set of 4	50
007896	Reference K5-60; spade lug	6/8 mm fork; up to 6.0 mm ²	black / white	bulk	50
0078960	Reference K5-60; spade lug	6/8 mm fork; up to 6.0 mm ²	black / white	set of 4	50
00650022	Excellence spade lug	6/8 mm fork	red	bulk	50
00650027	Excellence spade lug	6/8 mm fork	black	bulk	50
006500221	Excellence spade lug	6/8 mm fork	red / black	set of 4	50
00450022	Premium spade lug	6/8 mm fork; up to 4 mm ²	red / black	bulk	50
004500221	Premium spade lug	6/8 mm fork; up to 4 mm ²	red / black	set of 4	50
007810028	Reference-1002 bi-wire bridges	PE network jacket	15 cm / set of 2	50	
0084221	Premium bi-wire bridges		10.5 cm / set of 4	51	
01095500060	Reference shrink tube	Ø 12 mm; "in-akustik Germany"	black	4 cm	51

ITEM NO.	DESCRIPTION	CONNECTIONS / FEATURE	COLOUR / CODING	LENGTH / UNIT	PAGE
01095500280	Reference shrink tube	Ø 6.4 mm	black	15 cm	51
01095500290	Reference shrink tube	Ø 6.4 mm	black	15 cm	51
010290	cable shears	for cables up to 35 mm ²	black	set of 1	51
Audio cable					
007851212	Reference audio cable NF-A1	RCA <-> RCA; aktiv	PE network jacket	1.5 m*	54
0078413	Reference audio cable NF-1302	by the metre; mono cable; 9.5 mm	PE network jacket	50 m*	55
007841306	Reference audio cable NF-1302	RCA <-> RCA	PE network jacket	0.6 m	55
007841312	Reference audio cable NF-1302	RCA <-> RCA	PE network jacket	1.2 m	55
007841303	Reference audio cable NF-1302	XLR (m) <-> XLR (f)	PE network jacket	0.6 m	55
007841313	Reference audio cable NF-1302	XLR (m) <-> XLR (f)	PE network jacket	1.2 m	55
0078202	Reference audio cable NF-202	by the metre; mono cable; 7.2 mm	PE network jacket	50 m*	56
007820206	Reference audio cable NF-202	RCA <-> RCA	PE network jacket	0.6 m	56
007820212	Reference audio cable NF-202	RCA <-> RCA	PE network jacket	1.2 m	56
0078102	Reference audio cable NF-102	by the metre; mono cable; 5.8 mm	PE network jacket	50 m*	57
007810206	Reference audio cable NF-102	RCA <-> RCA	PE network jacket	0.6 m	57
007810212	Reference audio cable NF-102	RCA <-> RCA	PE network jacket	1.2 m	57
00604000	Excellence digital cable	by the metre; 8.0 mm	anthracite	50 m*	61
00614007	Excellence digital cable	RCA <-> RCA	anthracite	0.75 m	61
00604015	Excellence digital cable	RCA <-> RCA	anthracite	1.5 m	61
0060403	Excellence digital cable	RCA <-> RCA	anthracite	3.0 m	61
006043007	Excellence digital cable	XLR (m) <-> XLR (f);	anthracite	0.75 m	61
006043015	Excellence digital cable	XLR (m) <-> XLR (f);	anthracite	1.5 m	61
00604303	Excellence digital cable	XLR (m) <-> XLR (f);	anthracite	3.0 m	61
010501	Premium video/digital cable	by the metre; 6.0 mm	blue	50 m*	62
01050101	Premium video/digital cable	RCA <-> RCA; 6.0 mm	blue	1.0 m	62
01050102	Premium video/digital cable	RCA <-> RCA; 6.0 mm	blue	2.0	

ITEM NO.	DESCRIPTION	CONNECTIONS / FEATURE	COLOUR / CODING	LENGTH / UNIT	PAGE
0090802007	Premium RCA installation double coupling	RCA (f) <-> RCA (f); with screw thread	black	bulk	81
0090601000	Premium VGA SUB-D panel jack	VGA SUB-D 15p. (f); can be soldered		bulk	81
0090602025	Premium VGA SUB-D installation double coupling with cable	VGA SUB-D 15p. (f) <-> (f)		25 cm; bulk	81
00980018016	Premium HDMI™ IP Installation Box	HDMI™ (f) <-> HDMI™ (f) 90°		set of 1	85
0098000	Premium terminal	support ring		bulk	85
00980005006	Premium terminal 56x28	blank	stainless steel look	bulk	84
00980007006	Premium terminal 70x35	blank	stainless steel look	bulk	84
00980085016	Premium terminal 56x28	video / digital; 1 RCA	stainless steel look	bulk	84
00980087016	Premium terminal 70x35	video / digital; 1 RCA	stainless steel look	bulk	84
00980085026	Premium terminal 56x28	Audio; 2 RCA	stainless steel look	bulk	84
00980087026	Premium terminal 70x35	Audio; 2 RCA	stainless steel look	bulk	84
00980085036	Premium terminal 56x28	YUV; 3 RCA	stainless steel look	bulk	84
00980087036	Premium terminal 70x35	YUV; 3 RCA	stainless steel look	bulk	84
00980025256	Premium terminal 56x28	HDMI™ <-> HDMI™ 25 cm round	stainless steel look	bulk	85
00980027256	Premium terminal 70x35	HDMI™ <-> HDMI™ 25 cm round	stainless steel look	bulk	85
00980035016	Premium terminal 56x28	HDMI™ <-> HDMI™	stainless steel look	bulk	84
00980037016	Premium terminal 70x35	HDMI™ <-> HDMI™	stainless steel look	bulk	84
00980105026	Premium terminal 56x28	banana / spade lug	stainless steel look	bulk	85
00980107026	Premium terminal 70x35	banana / spade lug	stainless steel look	bulk	85
00980125016	Premium terminal 56x28	VGA (f)	stainless steel look	bulk	84
00980127016	Premium terminal 70x35	VGA (f)	stainless steel look	bulk	84
00980125256	Premium terminal 56x28	VGA (f) <-> VGA (f) 25cm	stainless steel look	bulk	85
00980127256	Premium terminal 70x35	VGA (f) <-> VGA (f) 25cm	stainless steel look	bulk	85
00980000001	Premium IP frame	single model	white	bulk	85
00980000002	Premium IP frame	double model	white	bulk	85
00980000003	Premium IP frame	triple model	white	bulk	85
Multimedia					
004801000	Premium CAT6 patch cable	SF-UTP; AWG24; 6.8 mm; flexible; by the metre	anthracite	100 m	88
004801005	Premium CAT6 patch cable	RJ45 <-> RJ45; SF-UTP; AWG 24; 6.8 mm	anthracite	0.5 m	88
00480101	Premium CAT6 patch cable	RJ45 <-> RJ45; SF-UTP; AWG 24; 6.8 mm	anthracite	1.0 m	88
00480102	Premium CAT6 patch cable	RJ45 <-> RJ45; SF-UTP; AWG 24; 6.8 mm	anthracite	2.0 m	88
00480103	Premium CAT6 patch cable	RJ45 <-> RJ45; SF-UTP; AWG 24; 6.8 mm	anthracite	3.0 m	88
00480105	Premium CAT6 patch cable	RJ45 <-> RJ45; SF-UTP; AWG 24; 6.8 mm	anthracite	5.0 m	88
004801075	Premium CAT6 patch cable	RJ45 <-> RJ45; SF-UTP; AWG 24; 6.8 mm	anthracite	7.5 m	88
00480110	Premium CAT6 patch cable	RJ45 <-> RJ45; SF-UTP; AWG 24; 6.8 mm	anthracite	10.0 m	88
00480115	Premium CAT6 patch cable	RJ45 <-> RJ45; SF-UTP; AWG 24; 6.8 mm	anthracite	15.0 m	88
00480120	Premium CAT6 patch cable	RJ45 <-> RJ45; SF-UTP; AWG 24; 6.8 mm	anthracite	20.0 m	88
004811000	Premium CAT6 installation cable	SF-UTP; AWG23; 6.8 mm; solid; by the metre	anthracite	100 m	88
004890000	Premium CAT5/6 plug	RJ-45 plug; 8P8C		bulk	88
004890002	Premium CAT6 crimping tool	crimping tool		set of 1	88
00489022	Premium CAT5/6 insulation grommet	red	bulk		88
00489023	Premium CAT5/6 insulation grommet	yellow	bulk		88
00489024	Premium CAT5/6 insulation grommet	blue	bulk		88
00489025	Premium CAT5/6 insulation grommet	green	bulk		88
00489027	Premium CAT5/6 insulation grommet	black	bulk		88
00489028	Premium CAT5/6 insulation grommet	anthracite	bulk		88
01070001	Premium high speed USB 2.0	USB A <-> USB B	anthracite	1.0 m	89
01070002	Premium high speed USB 2.0	USB A <-> USB B	anthracite	2.0 m	89
01070003	Premium high speed USB 2.0	USB A <-> USB B	anthracite	3.0 m	89
01070005	Premium high speed USB 2.0	USB A <-> USB B	anthracite	5.0 m	89
01070011	Premium high speed USB 2.0	USB A <-> USB mini A	anthracite	1.0 m	89
01070012	Premium high speed USB 2.0	USB A <-> USB mini A	anthracite	2.0 m	89
01070013	Premium high speed USB 2.0	USB A <-> USB mini A	anthracite	3.0 m	89
01070015	Premium high speed USB 2.0	USB A <-> USB mini A	anthracite	5.0 m	89
01070021	Premium high speed USB 2.0	USB A <-> USB mini B	anthracite	1.0 m	89
01070022	Premium high speed USB 2.0	USB A <-> USB mini B	anthracite	2.0 m	89
01070023	Premium high speed USB 2.0	USB A <-> USB mini B	anthracite	3.0 m	89
01071001	Premium Firewire cable	4p<->4p	anthracite	1.0 m	89
01071002	Premium Firewire cable	4p<->4p	anthracite	2.0 m	89
01071003	Premium Firewire cable	4p<->4p	anthracite	3.0 m	89
01071005	Premium Firewire cable	4p<->4p	anthracite	5.0 m	89
01071101	Premium Firewire cable	4p<->6p	anthracite	1.0 m	89
01071102	Premium Firewire cable	4p<->6p	anthracite	2.0 m	89
01071103	Premium Firewire cable	4p<->6p	anthracite	3.0 m	89
01071105	Premium Firewire cable	4p<->6p	anthracite	5.0 m	89
01071201	Premium Firewire cable	6p<->6p	anthracite	1.0 m	89
01071202	Premium Firewire cable	6p<->6p	anthracite	2.0 m	89
01071203	Premium Firewire cable	6p<->6p	anthracite	3.0 m	89
01071205	Premium Firewire cable	6p<->6p	anthracite	5.0 m	89
01054501	Premium VGA cable	VGA (m) >-> VGA (m)	anthracite	1.0 m	89
01054502	Premium VGA cable	VGA (m) >-> VGA (m)	anthracite	2.0 m	89
01054505	Premium VGA cable	VGA (m) >-> VGA (m)	anthracite	5.0 m	89

ITEM NO.	DESCRIPTION	CONNECTIONS / FEATURE	COLOUR / CODING	LENGTH / UNIT	PAGE
01054510	Premium VGA cable	VGA (m) >-> VGA (m)	anthracite	10 m	89
01055501	Premium VGA cable	VGA (f) >-> VGA (m)	anthracite	1.0 m	89
01055502	Premium VGA cable	VGA (f) >-> VGA (m)	anthracite	2.0 m	89
01055505	Premium VGA cable	VGA (f) >-> VGA (m)	anthracite	5.0 m	89
01055510	Premium VGA cable	VGA (f) >-> VGA (m)	anthracite	10 m	89
01053501	Premium VGA cable	5 RCA >-> VGA (m)	anthracite	1.0 m	89
01053502	Premium VGA cable	5 RCA >-> VGA (m)	anthracite	2.0 m	89
01053505	Premium VGA cable	5 RCA >-> VGA (m)	anthracite	5.0 m	89
01053510	Premium VGA cable	5 RCA >-> VGA (m)	anthracite	10.0 m	89
Car hi-fi					
00582000	Star C-NF20	RCA >-> 2 x RCA (f); 6.0 mm	lucent blue	0.2 m; set of 2	92
00582011	Star C-NF20	RCA (f) >-> 2 x RCA; 6.0 mm	lucent blue	0.2 m; set of 2	92
00582005	Star C-NF20	RCA <-> RCA; stereo cable; 6.0 mm	lucent blue	0.5 m	92
00582001	Star C-NF20	RCA <-> RCA; stereo cable; 6.0 mm	lucent blue	1.0 m	92
00582002	Star C-NF20	RCA <-> RCA; stereo cable; 6.0 mm	lucent blue	2.0 m	92
00582003	Star C-NF20	RCA <-> RCA; stereo cable; 6.0 mm	lucent blue	3.0 m	92
00582005	Star C-NF20	RCA <-> RCA; stereo cable; 6.0 mm	lucent blue	5.0 m	92
00582405	Star C-NF20	2 x RCA >-> 4 x RCA; 6.0 mm	lucent blue	5.0 m	92
00582511	Star C-NF20	RCA >-> 2 x RCA; 6.0 mm	lucent blue	5.0 m	92
00584000	Premium C-NF40	RCA >-> 2 x RCA (f); 6.0 mm; round	lucent blue	0.2 m; set of 2	92
00584011	Premium C-NF40	RCA (f) >-> 2 x RCA; 6.0 mm; round	lucent blue	0.2 m; set of 2	92
00584005	Premium C-NF40	RCA <-> RCA; stereo cable; 6.0 mm; round	lucent blue	0.5 m	92
00584001	Premium C-NF40	RCA <-> RCA; stereo cable; 6.0 mm; round	lucent blue	1.0 m	92
00584002	Premium C-NF40	RCA <-> RCA; stereo cable; 6.0 mm; round	lucent blue	2.0 m	92
00584003	Premium C-NF40	RCA <-> RCA; stereo cable; 6.0 mm; round	lucent blue	3.0 m	92
00584005	Premium C-NF40	RCA <-> RCA; stereo cable; 6.0 mm; round	lucent blue	5.0 m	92
00584405	Premium C-NF40	4 x RCA <-> 4 x RCA; 6.0 mm; round	lucent blue	5.0 m	92
00584511	Premium C-NF40	RCA >-> 2 x RCA; 6.0 mm; round	lucent blue	5.0 m	92
00588000	Excellence C-NF80	RCA >-> 2 x RCA (f); 8.0 mm; round	transparent	0.2 m	92
00588011	Excellence C-NF80	RCA (f) >-> 2 x RCA; 8.0 mm; round	transparent	0.2 m	92
005880005	Excellence C-NF80	RCA <-> RCA; stereo cable; 8.0 mm; round	transparent	0.5 m	92



in-akustik GmbH & Co. KG
Untermatten 12-14
79282 Ballrechten-Dottingen
Germany

Tel.: +49 (0) 7634-5610-75
Fax: +49 (0) 7634-5610-80
E-Mail: mailto@in-akustik.de
Web: www.in-akustik.de